

061006T4ICT
ICT TECHNICIAN LEVEL 6
IT/OS/ICT/CR/10/6
DEVELOP COMPUTER PROGRAM
JULY/AUGUST 2023



**TVET CURRICULUM DEVELOPMENT, ASSESSMENT AND CERTIFICATION
COUNCIL (TVET CDACC)**

WRITTEN ASSESSMENT

TIME: 3 HOURS

INSTRUCTIONS TO CANDIDATE

1. This paper has two sections **A and B**. Attempt questions in each section as per instructions given in the section.
2. You are provided with a separate answer booklet.
3. Marks for each question are indicated in the brackets.
4. Do not write on the question paper

SECTION A: (40 MARKS)

Attempt ALL questions in this section.

1. Distinguish between imperative programming and object programming languages, giving TWO examples in each (6 Marks)
2. Identify TWO_valid reasons for a software developer to use each of the following approaches in a project.
 - a) Waterfall Model (2 Marks)
 - b) Agile Methodology (2 Marks)
 - c) Spiral Model (2 Marks)
3. Using C language examples, explain ONE program control structure for:
 - a) Decision/Branching (4 Marks)
 - b) Looping (4 Marks)
4. Define the following program development phases (7 Marks)
 - a) Planning
 - b) Analysis
 - c) Design
 - d) Implementation
 - e) Testing
 - f) Deployment
 - g) Maintenance
5. Explain THREE program design tools. (6 Marks)
6. Describe FOUR building blocks of object-oriented programming (OOP) (4 Marks)
7. Using Java language, illustrate ONE example of the following error types.
 - a) Syntax error (1 Mark)
 - b) Run time error (1 Mark)
 - c) Logic error (1 Mark)

SECTION B: (60 MARKS)

Attempt any THREE (3) questions in this section.

8. Design a program to calculate and output the area and perimeter of a rectangular football field using:

- a) Pseudocode (10 Marks)
- b) A Flowchart (10 Marks)

9.

a) The following C++ program is intended to calculate and display the mean score of 10 students who sat for “Computer programming” test. Identify the errors in the program.

(10 Marks)

```
#include<iostream.h>;
#define STUDENTS 10
INT main()
{
    Int count;
    float testScore[STUDENTS];
    float sumOfScores, averageOfScores
    sum=0;
    // Enter the 10 test scores and update the sum
    for(count=1;counter<STUDENTS;count++)
    {
        cout<<"Enter a score ";
        cin>>testscore[count];
        sumOfScores = sumOfScores+testScore[count];
    }
    // calculate the average score
```

```

averageOfScores = sumOfScore/Students;

/Output the average score
cout<<"The Average Score is: " <<averageofSCores;

return 0;

```

- b) Explain FIVE benefits of using functions in program development. (10 Marks)

10. Consider the following program conditional requirements.

If the Purchase Amount is greater than Sh.50,000

If Customer Duration is 5 Years and Above Then

Customer Pays 90% of Purchase Amount (10% Discount)

Else

Customer Pays 92.5% of Purchase Amount (7.5% Discount)

Else

If Customer Duration is 5 Years and Above Then

Customer Pays 97%% of Purchase Amount (3% Discount)

Else

Customer Pays Full Purchase Amount

Express the above requirements in the form of:

- a) A Decision Tree (10 Marks)
- b) A Decision Table (10 Marks)

11. Consider the following Java program that uses the Inheritance concept.

```

class Calculation {
int z;

public void addition(int x, int y) {
z = x + y;
System.out.println("The sum of the given numbers:"+z);
}

public void Subtraction(int x, int y) {

```

```
        z = x - y;
        System.out.println("The difference between the given
numbers:"+z);
    }
}

public class My_Calculation extends Calculation {
    public void multiplication(int x, int y) {
        z = x * y;
        System.out.println("The product of the given
numbers:"+z);
    }

    public static void main(String args[]) {
        int a = 20, b = 10;
        My_Calculation demo = new My_Calculation();
        demo.addition(a, b);
        demo.Subtraction(a, b);
        demo.multiplication(a, b);
    }
}
```

- a) From the program, identify the following program components
- | | |
|--|-----------|
| i) The base class/superclass | (1 Mark) |
| ii) Base class method(s) | (2 Marks) |
| iii) The derived class/subclass | (1 Mark) |
| iv) Subclass method(s) | (1 Mark) |
| v) Method parameters | (2 Marks) |
| vi) Object | (1 Mark) |
| vii) Constructor | (1 Mark) |
| viii) Object communication/Message passing | (3 Marks) |
- b) What is the output of the program? (3 Marks)
- c) Modify the subclass to include a method to calculate the quotient (result of division) and have the object call the method (5 Marks)